

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/485,298	02/08/2000	JUNKO YAMAMOTO	1422-411P	1749
2292	7590 02/28/2006		EXAMINER	
	WART KOLASCH &	KIM, YOUNG J		
PO BOX 747 FALLS CHU	RCH, VA 22040-0747		ART UNIT	PAPER NUMBER
	,		1637	

DATE MAILED: 02/28/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
		09/485,298	YAMAMOTO ET AL.			
	Office Action Summary	Examiner	Art Unit			
		Young J. Kim	1637			
Period fo	The MAILING DATE of this communication apport	pears on the cover sheet wit	h the correspondence address			
WHIC - Exte after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPL' CHEVER IS LONGER, FROM THE MAILING D. nsions of time may be available under the provisions of 37 CFR 1.1 SIX (6) MONTHS from the mailing date of this communication. O period for reply is specified above, the maximum statutory period or tre to reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNIC 36(a). In no event, however, may a re will apply and will expire SIX (6) MONT , cause the application to become ABA	ATION. ply be timely filed THS from the mailing date of this communication. ANDONED (35 U.S.C. § 133).			
Status						
1)⊠	Responsive to communication(s) filed on <u>06 Fe</u>	ebruary 2006.	,			
·		action is non-final.				
3)	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merit					
	closed in accordance with the practice under E	Ex parte Quayle, 1935 C.D.	11, 453 O.G. 213.			
Dispositi	ion of Claims					
4)⊠	Claim(s) 20,21,23,24,26-28,30 and 44-46 is/ar	e pending in the application	n			
	4a) Of the above claim(s) is/are withdrawn from consideration.					
5)	Claim(s) is/are allowed.					
6)⊠	Claim(s) 20,21,23,24,26-28,30 and 44-46 is/ar	e rejected.				
7)	Claim(s) is/are objected to.		•			
8)□	Claim(s) are subject to restriction and/o	r election requirement.				
Applicati	on Papers					
9)	The specification is objected to by the Examine	r.				
10)	The drawing(s) filed on is/are: a) ☐ acc	epted or b)□ objected to b	y the Examiner.			
	Applicant may not request that any objection to the	drawing(s) be held in abeyand	e. See 37 CFR 1.85(a).			
	Replacement drawing sheet(s) including the correct	ion is required if the drawing(s	s) is objected to. See 37 CFR 1.121(d).			
11)[The oath or declaration is objected to by the Ex	aminer. Note the attached	Office Action or form PTO-152.			
Priority u	ınder 35 U.S.C. § 119					
	Acknowledgment is made of a claim for foreign ☐ All b)☐ Some * c)☐ None of:		119(a)-(d) or (f).			
	1. Certified copies of the priority documents					
	2. Certified copies of the priority documents	•	· · · · · · · · · · · · · · · · · · ·			
	3. Copies of the certified copies of the prior	*	eceived in this National Stage			
	application from the International Bureau	, , ,				
· S	See the attached detailed Office action for a list	of the certified copies not r	eceived.			
Attachmen	t(s)					
	e of References Cited (PTO-892)	4) Interview Su				
2) Notic	e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08)		/Mail Date ormal Patent Application (PTO-152)			
	nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) r No(s)/Mail Date <u>11/23/05</u> .	6) Other:	The state of the s			

Application/Control Number: 09/485,298

Art Unit: 1637

DETAILED ACTION

Upon careful reconsideration of the application in view of Applicants' IDS received subsequent to the Final Rejection, the finality of the rejection of the last Office action is withdrawn in view of the references cited therein.

Preliminary Remark

All rejections/objections hereto not reiterated is(are) considered withdrawn.

Claim Rejections - 35 USC § 103

Rejections, New Grounds - Necessitated by IDS

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 20, 21, and 44 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gelfand et al. (U.S. Patent No. 5,693,517, issued December 2, 1997; IDS reference # AA) in view of Kaiser et al. (U.S. Patent No. 5,843,669, issued December 1, 1998, filed November 29, 1996).

Gelfand et al. disclose an RT –PCR reaction (column 6, lines 60-64), wherein in the "RT" (reverse transcriptase) reaction, artisans disclose that the use of hydroxymethyl dUTP or 7-deazadGTP in generating a first strand cDNA (column 20, line 56 through column 21, line 5).

Gelfand et al. do not disclose that the nucleotide analogs are employed in the subsequent PCR reaction.

Kaiser et al. disclose a method of amplifying (via PCR) employing 7-Deaza-dATP and 7-Deaza-dGTP) (column 24, lines 29-26; column 183, lines 1-9).

It would have been *prima facie* obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Gelfand et al. and Kaiser et al. to arrive at the claimed invention for the following reasons.

The technique of RT-PCR is a well-known process of amplifying a sample in a species, wherein the target nucleic acid to be amplified is an RNA or mRNA.

Gelfand et al. seeks to improve the traditional RT-PCR reaction by reducing the possibility of cross-contamination which carries over from the reverse-transcription reaction to the subsequent amplification reaction (PCR):

"Due to the enormous amplification possible with the PCR process, small levels of DNA carryover from samples with high DNA levels, positive control templates or from previous amplification can result in PCR product, even in the absence of purposefully added template DNA" (column 13, lines 6-11)

Gelfand et al. disclose several embodiments drawn to suppressing this cross-contamination, wherein one of the explicitly disclosed embodiment is drawn to the method of incorporating nucleotide analogs, such as hydroxymethyl dUTP (herein HmdUTP) (column 20, lines 56-59) instead of dTTP in the reverse transcription reaction. The artisans state that this substitution into "cDNA effectively lowers the denaturation temperature of both reverse transcribed product [the 1sts strand cDNA produced] and the PCR duplex DNA product, in comparison to the denaturation temperature of the homologous thymine containing DNA." (column 20, line 63 through column 21, line 1."

Gelfand et al., in the context of this disclosure also suggests that, "[o]ther modified nucleoside triphosphates capable of effecting the Tm of DNA product (e.g., c7dGTP, 7 deaza-

deoxyguanosine 5'-triphosphate [7-deaza dGTP] or α-phosphorothioate dNTPs)..." (column 21, lines 1-4).

Hence, given such a disclosure, one of ordinary skill in the art would have been clearly motivated to employ any of the known nucleoside analogs which are known to lower the melting temperature of a double stranded nucleic acid, when incorporated, particularly, the 7-deaza dGTP and HmdUTP, in the reverse transcription reaction.

The motivation to combine elements which are directed for the same purposes is also supported in *In re Kerkhoven* (see MPEP 2144.06), wherein the court expressed the following:

"It is prima facie obvious to combine two compositions each of which is taught by the prior art to be useful for the same purpose, in order to form a third composition to be used for the very same purpose...[T]he idea of combining them flows logically from their having been individually taught in the prior art." In re Kerkhoven 626 F.2d 846, 850, 205 USPQ 1069, 1072 (CCPA 1980).

With regard to the combination of the teachings of Gelfand et al. with that of Kaiser et al., that is, substituting the PCR reaction of the RT-PCR reaction disclosed by Gelfand et al., such motivation is clearly present in view of the disclosure provided for by Kaiser et al.:

"The 7-deaza purine analogs (7-deaza-dATP and 7-deaza-dGTP) serve to <u>destabilize</u>

regions of secondary structure by weakening the intrastrand stacking of multiple adjacent

purines. This effect can allow amplification of nucleic acids that, with the use of natural

dNTPs, are resistant to amplification because of strong secondary structure" (column 183, lines 1-8).

Hence, one of ordinary skill in the art at the time the invention was made would have been motivated to improve the PCR reaction of Gelfand et al., with the 7-deza nucleotide analogs of

Kaiser et al, because by doing so, one of ordinary skill in the art would have been able to amplify target nucleic acids having a strong secondary structure.

It is also of note that while Gelfand et al. are not explicit in disclosing that HmdUTP and 7deaza GTP be used in the PCR reaction, the artisans appear to consider this possibility as well:

"Incorporation of HmdUTP into cDNA effectively lowers the denaturation temperature of both reverse transcribed product [or 1st strand cDNA] and the PCR product..." (column 20, lines 63-66)

"Methods are provided for both non-homogeneous and homogenous RT/PCR assays. The term, 'homogeneous' as used herein refers to a two-step single addition reaction for reverse transcription and amplification of an RNA target. By homogeneous it is meant that following the reverse transcription step, there is no need to open the reaction vessel or otherwise adjust reaction components prior to the amplification step." (column 6, lines 39-46).

Hence, a homogeneous RT-PCR reaction involving the above-disclosed modified nucleoside analogs would also certainly be incorporated in the PCR reaction.

With regard to claim 44, drawn to a method of reverse transcription and amplification involving 7-deaza dGTP and 7-deaza dATP, it is determined that in view of the disclosure provided for by Kaiser et al. who employ these two nucleoside analogs, one of ordinary skill in the art would have had the motivation to employ the two nucleoside analogs for the same motivation as discussed above.

One of ordinary skill in the art at the time the invention was made would have had a reasonable expectation of success at such combination as the incorporation of nucleotide analogs during primer extension as already been demonstrated to be feasible by Kaiser et al.

Therefore, the invention as claimed is *prima facie* obvious over the cited references.

Application/Control Number: 09/485,298

Art Unit: 1637

Claims 23, 24, 26-28, 30, 45, and 46 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gelfand et al. (U.S. Patent No. 5,693,517, issued December 2, 1997; IDS reference # AA) in view of Kaiser et al. (U.S. Patent No. 5,843,669, issued December 1, 1998, filed November 29, 1996) and Pergolizzi et al. (U.S. Patent No. 5,658,764, issued August 19, 1997).

Gelfand et al. disclose an RT –PCR reaction (column 6, lines 60-64), wherein in the "RT" (reverse transcriptase) reaction, artisans disclose that the use of hydroxymethyl dUTP or 7-deazadGTP in generating a first strand cDNA (column 20, line 56 through column 21, line 5).

Gelfand et al. do not disclose that the nucleotide analogs are employed in the subsequent PCR reaction.

Gelfand et al., in their method, employ a compound which lowers Tm of double stranded nucleic acids.

Kaiser et al. disclose a method of amplifying (via PCR) employing 7-Deaza-dATP and 7-Deaza-dGTP) (column 24, lines 29-26; column 183, lines 1-9).

Perfolizzi et al. disclose a method of amplifying a target nucleic acid by a polymerase chain reaction (PCR), wherein the reaction employs nucleoside analog 7-deaza dGTP as well as DMSO (dimethyl sulfoxide) (see column 8, lines 43-52).

It would have been *prima facie* obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of Gelfand et al., Kaiser et al., and Perfolizzi et al., thereby arriving at the claimed invention for the following reasons.

The technique of RT-PCR is a well-known process of amplifying a sample in a species, wherein the target nucleic acid to be amplified is an RNA or mRNA.

Gelfand et al. seeks to improve the traditional RT-PCR reaction by reducing the possibility of cross-contamination which carries over from the reverse-transcription reaction to the subsequent amplification reaction (PCR):

"Due to the enormous amplification possible with the PCR process, small levels of DNA carryover from samples with high DNA levels, positive control templates or from previous amplification can result in PCR product, even in the absence of purposefully added template DNA" (column 13, lines 6-11)

Gelfand et al. disclose several embodiments drawn to suppressing this cross-contamination, wherein one of the explicitly disclosed embodiment is drawn to the method of incorporating nucleotide analogs, such as hydroxymethyl dUTP (herein HmdUTP) (column 20, lines 56-59) instead of dTTP in the reverse transcription reaction. The artisans state that this substitution into "cDNA effectively lowers the denaturation temperature of both reverse transcribed product [the 1sts strand cDNA produced] and the PCR duplex DNA product, in comparison to the denaturation temperature of the homologous thymine containing DNA." (column 20, line 63 through column 21, line 1."

Gelfand et al., in the context of this disclosure also suggests that, "[o]ther modified nucleoside triphosphates capable of effecting the Tm of DNA product (e.g., c7dGTP, 7 deaza-deoxyguanosine 5'-triphosphate [7-deaza dGTP] or α-phosphorothioate dNTPs)..." (column 21, lines 1-4).

Hence, given such a disclosure, one of ordinary skill in the art would have been clearly motivated to employ any of the known nucleoside analogs which are known to lower the melting temperature of a double stranded nucleic acid, when incorporated, particularly, the 7-deaza dGTP and HmdUTP, in the reverse transcription reaction.

The motivation to combine elements which are directed for the same purposes is also supported in *In re Kerkhoven* (see MPEP 2144.06), wherein the court expressed the following:

"It is prima facie obvious to combine two compositions each of which is taught by the prior art to be useful for the same purpose, in order to form a third composition to be used for the very same purpose...[T]he idea of combining them flows logically from their having been individually taught in the prior art." In re Kerkhoven 626 F.2d 846, 850, 205 USPQ 1069, 1072 (CCPA 1980).

With regard to the combination of the teachings of Gelfand et al. with that of Kaiser et al., that is, substituting the PCR reaction of the RT-PCR reaction disclosed by Gelfand et al., such motivation is clearly present in view of the disclosure provided for by Kaiser et al.:

"The 7-deaza purine analogs (7-deaza-dATP and 7-deaza-dGTP) serve to <u>destabilize</u> regions of secondary structure by weakening the intrastrand stacking of multiple adjacent purines. This effect can allow amplification of nucleic acids that, with the use of natural dNTPs, are resistant to amplification because of strong secondary structure" (column 183, lines 1-8).

Hence, one of ordinary skill in the art at the time the invention was made would have been motivated to improve the PCR reaction of Gelfand et al., with the 7-deza nucleotide analogs of Kaiser et al, because by doing so, one of ordinary skill in the art would have been able to amplify target nucleic acids having a strong secondary structure.

It is also of note that while Gelfand et al. are not <u>explicit</u> in disclosing that HmdUTP and 7-deaza GTP be used in the PCR reaction, the artisans appear to consider this possibility as well:

"Incorporation of HmdUTP into cDNA effectively lowers the denaturation temperature of both reverse transcribed product [or 1st strand cDNA] <u>and</u> the PCR product..." (column 20, lines 63-66)

Application/Control Number: 09/485,298

Art Unit: 1637

"Methods are provided for both non-homogeneous and homogenous RT/PCR assays. The term, 'homogeneous' as used herein refers to a two-step single addition reaction for reverse transcription and amplification of an RNA target. By homogeneous it is meant that following the reverse transcription step, there is no need to open the reaction vessel or otherwise adjust reaction components prior to the amplification step." (column 6, lines 39-46).

Hence, a homogeneous RT-PCR reaction involving the above-disclosed modified nucleoside analogs would also certainly be incorporated in the PCR reaction.

With regard to claims 45 and 46, drawn to a method of reverse transcription and amplification involving 7-deaza dGTP and 7-deaza dATP, it is determined that in view of the disclosure provided for by Kaiser et al. who employ these two nucleoside analogs, one of ordinary skill in the art would have had the motivation to employ the two nucleoside analogs for the same motivation as discussed above.

One of ordinary skill in the art at the time the invention was made would have had a reasonable expectation of success at such combination as the incorporation of nucleotide analogs during primer extension as already been demonstrated to be feasible by Kaiser et al.

Finally, the motivation to combine a compound which lowers the Tm temperature of a double stranded nucleic acid during PCR reaction, is explicitly provided for by Pergolizzi et al.:

"The inability of PCR-based methods to detect GC-rich sequence has hindered the development of an assay for other conditions." (column 3, lines 1-3)

Such difficulty, as recognized in the art, arises from the strong hydrogen bonds formed between the base, "G: and its complementary base "C" in the GC rich region.

Pergolizzi et al., in their attempt to overcome this difficulty, disclose a method which employs reagents which render the double-strand nucleic acid, single stranded for amplification.

Pergolizzi et al. explicitly disclose a preferred embodiment employing 7-deaza GTP and 10% DMSO in an amplification reaction.

Hence, one of ordinary skill in the art at the time the invention was made would have been motivated to combine the reagents of Pergolizzi et al. with the teachings of Gelfand et al. and Kaiser et al. for the advantage of facilitating melting (i.e., become single stranded) of any double stranded nucleic acids, such as DMSO, in an amplification reaction.

As Pergolizzi et al. already couples 7-deaza GTP with DMSO in a PCR reaction, one of ordinary skill in the art would have had a clear expectation of success at combining the PCR reaction of Pergolizzi et al. with the teachings of Gelfand et al. and Kaiser et al.

Therefore, the invention as claimed is *prima facie* obvious over the cited references.

Conclusion

No claims are allowed.

Inquiries

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Young J. Kim whose telephone number is (571) 272-0785. The Examiner is on flex-time schedule and can best be reached from 8:30 a.m. to 4:30 p.m. The Examiner can also be reached via e-mail to Young.Kim@uspto.gov. However, the office cannot guarantee security through the e-mail system nor should official papers be transmitted through this route.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Dr. Gary Benzion, can be reached at (571) 272-0782.

Papers related to this application may be submitted to Art Unit 1637 by facsimile transmission. The faxing of such papers must conform with the notice published in the Official Gazette, 1156 OG 61 (November 16, 1993) and 1157 OG 94 (December 28, 1993) (see 37 CFR 1.6(d)). NOTE: If applicant does submit a paper by FAX, the original copy should be retained by applicant or applicant's representative. NO DUPLICATE COPIES SHOULD BE SUBMITTED, so as to avoid the processing of duplicate papers in the Office. All official documents must be sent to the Official Tech Center Fax number: (571) 273-8300. For Unofficial documents, faxes can be sent directly to the Examiner at (571) 273-0785. Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (571) 272-1600.

Young J. Kim

Patent Examiner
Art Unit 1637

2/24/2006

YOUNG J. KIM PATENT EXAMINER